



MULE-HIDE PRODUCTS CO., INC
10 or 15 Year Premium Warranty Upgrade Requirements
With Standard 55-MPH Wind Speed Coverage

ALL Systems

All products specified for this roofing system must be manufactured or approved by Mule-Hide Products Co. These are upgrades to Mule-Hide's Standard Specifications that are required for either a 10 or 15 Year **Premium Warranty**.

INSULATION/OVERLAYMENT

A 10 or 15 Year **Premium Warranty** requires the use of Mule-Hide Polyisocyanurate insulation.

Insulation Type or Overlay
Mule-Hide Polyisocyanurate (1) (2)
Approved Overlay - Installed over Mule-Hide Polyisocyanurate

NOTES:

1. Minimum 1" thickness for Ballasted or Mechanically Attached Systems.
2. Minimum 1.5" Thickness for Fully Adhered Systems.
3. Contractor to provide proof of purchase of Mule-Hide Insulation.

INSULATION ATTACHMENT

Mechanical Attachment - Must use Mule-Hide Insulation plates and fasteners. Fastener density and placement must be as per Mule-Hide Specifications and recommendations. Contact Mule-Hide Technical Department for job specific attachment requirements.

Insulation Adhesive - Insta-Stik by Dow Chemical Company - Warranty Application must include a copy of the manufacturers letter of acceptance for the project, including application rates for that specific project. Other Manufactures may be considered, submit request prior to bidding.

SHEET METAL

If the perimeter sheet metal is to be included in the Mule-Hide Warranty, it must be Anchor-Tite as manufactured by Metal-Era. Contractor to submit proof of purchase and copy of Metal-Era Warranty for project.

NOTES:

1. **This is a summary of the Mule-Hide upgrade requirements for a 10 or 15 year Premium Warranty. Refer to Mule-Hide's Specification Manuals for complete specification and details.**
2. **The information contained in this document is general information. Requirements may be different for each specific job based on the conditions of each building. Always contact Mule-Hide Technical Department to review the specific job conditions prior to bidding the project.**