

---

# Material Safety Information Sheet

---

## **SECTION 1** Product Identification and Use

**PRODUCT NAME:** DECTEC WBA 100  
**U.N. IDENTIFICATION NUMBER:** N/AP

**COMPANY IDENTIFICATION:** SKYLINE Building Systems Inc.  
**ADDRESS:** 4500 – 8 A Street NE, Calgary AB T2E 4J7

**EMERGENCY NUMBERS:** (800) 996-6666

**PRODUCT CLASS:** Sheet Goods & Tile Adhesives  
**TRADE NAME:** Premium Multi-Purpose Flooring Adhesive  
**WHMIS Class(es):** N/AP

---

## **SECTION 2** Hazardous Ingredients

<u>HAZARDOUS INGREDIENTS</u>	<u>CAS NUMBER</u>	<u>APPROXIMATE %</u>
No Hazardous Ingredients known at this time.		

---

## **SECTION 3** Physical Data

**Form:** Off White Paste

**Odor:** Slight Odor

**pH Value:** APPROX 9.0

**Boiling Range:** > 100 degrees C

**Vapour Pressure (mmHg):** N/AP

**Evaporation Rate:** Slower than n-Butyl Acetate

**Vapor Density:** Lighter than Air

**% Volatile W/W:** Approximately 27 %

**Freezing Point:** 0. degrees C (32. degrees F)

**Specific Gravity:** 1.25

**Molecular Weight:** N/AP

---

## **SECTION 4** Fire and Explosion Data

**Flash Range:** N/AP  
**Explosive Range (LEL – UEL) :** N/AP

**SECTION 5 Fire Fighting Measures**

Non-flammable. After water evaporates, remaining material will burn. Use spray water, foam, dry chemical, Carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES:  
N/AP

UNUSUAL FIRE & EXPLOSION HAZARDS

None Known to Skyline Building Systems Inc.

---

**SECTION 6 Health Hazard Data**

STABILITY: This product is stable.

PERMISSIBLE EXPOSURE LEVEL: N/AV

EFFECTS OF OVEREXPOSURE: Contact of adhesive with eyes or skin may cause some irritation

---

**SECTION 7 FIRST AID**

SKIN: Wash skin thoroughly with soapy water.

EYES: Flush eyes with warm water for 15 to 20 minutes. Consult a Physician.

INGESTION: If swallowed, do not induce vomiting. Consult a Physician.

INHALATION: Remove to fresh air. Consult a Physician.

---

**SECTION 8 Toxicity and Reactivity Data**

No Hazardous Ingredients known at this time.

Incompatibility: None known to Skyline Building Systems Inc.

Conditions to Avoid: None known to Skyline Building Systems Inc.

Hazardous Decomposition Products: None known to Skyline Building Systems Inc.

---

**SECTION 9 Transport Information and Spill or Leak Procedures**

TDG Name N/AP  
TDG Class N/AP

**Steps to be Taken in Case Material is Released or Spilled**

Contain with sand or earth to prevent from entering natural water or sewage systems

WASTE DISPOSAL METHOD

According to federal, provincial, state and local regulation.

---



MSDS DATE: 01/01/2005

## WBA100 WATER BASED ADHESIVE

---

### **SECTION 10** Special Protection Information

RESPIRATORY PROTECTION:	Not Required
VENTILATION:	Use Adequate Ventilation
PROTECTIVE GLOVES:	Rubber or Vinyl
EYE PROTECTION:	Chemical Safety Glasses
OTHER PROTECTIVE EQUIPMENTS:	N/AP

---

### **SECTION 11** Preparation Information and Special Precautions

Preparer:	Hungdy Tjia Q.C. Engineer
Telephone / Fax:	(905) 799 – 2663 / (905) 799 – 2436
MSDS Date:	11 / 28 / 00

---

### **SECTION 12** Precautions to be taken in Handling and Storing

Store at room temperature (60 – 80 degrees F).

Protect from Freezing.

Keep container tightly closed when not being used.

#### OTHER PRECAUTIONS:

When shipping protect from freezing.

---

### **Skyline Building Systems, Inc. Disclaimer of Expressed and Implied Warranties**

The information in this Material Safety Data Sheet is offered in good faith as accurate at the date of issuance. No warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the safety of this product, or the hazards related to its use. This information and product are furnished on the condition that the person receiving it shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of use thereof. Compliance with all applicable Federal, State, and Local laws and regulations remains the responsibility of the user.